



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Black

RAL: 9005

Business data

| Article number | <u>28543.4</u> |
|--|------------------|
| Article name | KDS-DEG 22-23 BK |
| GTIN (EAN) | 4044211215415 |
| Packaging unit | 10 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 24.36 g |
| Weight per piece (including packaging) | 24.76 g |
| Unit of weight | G |
| Customs number | 39259020 |
| Country of origin | DE |
| Product description | Sealing Element |
| Colour | Black |
| | |



28543.4 KDS-DEG 22-23 BK

| 42.8 mm | |
|-----------------------------|---|
| 42.8 mm | |
| 17.7 mm | |
| | |
| TPE | |
| НВ | |
| -40 °C | |
| 120 °C | |
| ✓ | |
| ✓ | |
| ✓ | |
| | |
| Plug in | |
| IP66 | |
| ✓ | |
| 22 mm | |
| 23 mm | |
| 1, 12, 4x (indoor use only) | |
| 1 | |
| | |
| yes | |
| 2023-01-17 | |
| No | |
| yes | |
| | 42.8 mm 17.7 mm TPE HB -40 °C 120 °C ✓ ✓ ✓ Plug in IP66 ✓ 22 mm 23 mm 1, 12, 4x (indoor use only) 1 yes 2023-01-17 No |





28543.4 KDS-DEG 22-23 BK

| Approvals | |
|----------------------------|--|
| Standards and regulations | |
| Standards / specifications | Strain relief complying with DIN EN 62444 |
| cUL Recognized | |
| cUL approval | C22.2 No. 14-18 |
| cUL File Number | E489821 |
| cUL Recognized | 1 |
| UL Recognized | |
| UL approval | UL 508A |
| UL File Number | E489821 |
| UL Recognized | 1 |
| UL Type Rating | 1, 12, 4x (indoor use only) |
| German Lloyd approval | |
| DNV GL Certificate number | TAE00003V7 |
| DNV GL Location Classes | Temperature: -40°C to 120°C, Humidity: B, Vibration: B, Ingress protection: IP66 |
| DNV GL approval granted | 1 |





Media







Accessories

Inlays

Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28516.4</u> | KDS-Inlay 1 BK | 4044211210847 | 5 ST |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28517.4 | KDS-Inlay 2 BK | 4044211210854 | 5 ST |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28518.4 | KDS-Inlay 4 BK | 4044211210861 | 5 ST |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| <u>28519.4</u> | KDS-Inlay 6 BK | 4044211210014 | 5 ST |

Screw frame



Cable entry with foamed-in seal, Mounting type: Screws, Length: 153 mm, Width: 70 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 28504.4 | KDS-SR 10/24 BK | 4044211210809 | 1 ST |



Cable entry with foamed-in seal, Mounting type: Screws, Length: 106 mm, Width: 70 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 28500.4 | KDS-SR 6/10 BK | 4044211210021 | 1 ST |





Screw frame



Cable entry with foamed-in seal, Mounting type: Screws, Length: 126 mm, Width: 70 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28502.4 | KDS-SR 8/16 BK | 4044211210786 | 1 ST |



Cable entry with foamed-in seal, Mounting type: Screws, Length: 81 mm, Width: 70 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 28506.4 | KDS-SR 1-4 BK | 4044211210823 | 1 ST |

Locking frame



Inner locking frame, Length: 80 mm, Height: 11.5 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28507.4 | KDS-IVR 1-4 BK | 4044211210830 | 10 ST |



Inner locking frame, Length: 105 mm, Height: 11.5 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | unit |
|----------------|-----------------|---------------|-------|
| <u>28501.4</u> | KDS-IVR 6/10 BK | 4044211210779 | 10 ST |



Inner locking frame, Length: 125 mm, Height: 11.5 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28503.4 | KDS-IVR 8/16 BK | 4044211210793 | 10 ST |



Inner locking frame, Length: 152 mm, Height: 11.5 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 28505.4 | KDS-IVR 10/24 BK | 4044211210816 | 10 ST |

##INVERSE##CONTA-CABLE





Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| <u>28613.4</u> | KDS-KV M40 BK | 4044211208967 | 5 ST |



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 28614.4 | KDS-KV M50 BK | 4044211208974 | 5 ST |



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 28615.4 | KDS-KV M63 BK | 4044211208981 | 5 ST |



Cable entry flange plate with foamed-in frame gasket, Mounting type: Screw, Length: 165 mm, Width: 123 mm, IP66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 28660.4 | KDS-FP 2x10/24 BK | 4044211220358 | 1 ST |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 28517.4 | KDS-Inlay 2 BK | 4044211210854 | 5 ST |



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28776.4</u> | KDS-RGA M50 BK | 4044211234560 | 5 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 81 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28880.4 | KDSI-SR 1-4 BK | 4044211243807 | 1 ST |





| | Cable entry, Ir | nlay, Mounting type: Plug in, IP 6 | 66, Colour: Black | |
|-----|--|--|---------------------------|-------------------|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28516.4 | KDS-Inlay 1 BK | 4044211210847 | 5 ST |
| 1.1 | Cable entry, Ir | nlay, Mounting type: Plug in, IP 6 | 66, Colour: Black | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28519.4 | KDS-Inlay 6 BK | 4044211210014 | 5 ST |
| | Cable entry wi IP 66, Colour: | th foamed-in seal, Mounting typ Black | e: Screws, Length: 126 mm | n, Width: 70 mi |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28502.4 | KDS-SR 8/16 BK | 4044211210786 | 1 ST |
| 1.1 | Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28519.4 | KDS-Inlay 6 BK | 4044211210014 | 5 ST |
| | Inner locking f | rame, Length: 125 mm, Height: | 11.5 mm, Colour: Black | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28503.4 | KDS-IVR 8/16 BK | 4044211210793 | 10 ST |
| | Inner locking f | rame, Length: 152 mm, Height: | 11.5 mm, Colour: Black | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 28505.4 | KDS-IVR 10/24 BK | 4044211210816 | 10 ST |
| | Cable entry wi Colour: Black | th TPE seal, Mounting type: Scr | ews, Length: 81 mm, Width | n: 64 mm, IP 6 |
| | | | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |







Cable entry with TPE seal, Mounting type: Screws, Length: 106 mm, Width: 64 mm, IP66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| <u>28881.4</u> | KDSI-SR 6/10 BK | 4044211242084 | 1 ST |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 6/10, 1 x KDS-Inlay 2, 1 x KDS-Inlay 6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28603.4 | KDS-Set 6/10 BK | 4044211216191 | 1 ST |



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 28519.4 | KDS-Inlay 6 BK | 4044211210014 | 5 ST |



Cable entry set, IP66, Consisting of: 1xKDSI-SR 10/24, each 1xKDS-Inlay 2,4,6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 28893.4 | KDSI-SET 10/24 BK | 4044211242183 | 1 ST |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 10/24, 1 each of KDS-Inlay 2,4,6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 28605.4 | KDS-Set 10/24 BK | 4044211216214 | 1 ST |



Cable entry set, IP66, Consisting of: 1 x KDS-SR 8/16, 1 x KDS-Inlay 1, 2 x KDS-Inlay 4

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 28604.4 | KDS-Set 8/16 BK | 4044211216207 | 1 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 126 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28882.4 | KDSI-SR 8/16 BK | 4044211242091 | 1 ST |



Cable entry set, IP66, Consisting of: 1 x KDSI-SR 1-4 BK, 1 x KDS-Inlay 4 BK

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28890.4 | KDSI-SET 1-4 BK | 4044211242152 | 1 ST |







Cable entry set, IP66, Consisting of: 1 x KDS-SR 6/10, 1 x KDS-Inlay 2, 1 x KDS-Inlay 6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 28603.4 | KDS-Set 6/10 BK | 4044211216191 | 1 ST |



Cable entry set, IP66, Consisting of: 1xKDSI-SR 6/10, 1xKDS-Inlay 2, 1xKDS-Inlay 6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 28891.4 | KDSI-SET 6/10 BK | 4044211242169 | 1 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 106 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28881.4 | KDSI-SR 6/10 BK | 4044211242084 | 1 ST |



Cable entry set, IP66, Consisting of: 1xKDSI-SR 10/24, each 1xKDS-Inlay 2,4,6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 28893.4 | KDSI-SET 10/24 BK | 4044211242183 | 1 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 106 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 28881.4 | KDSI-SR 6/10 BK | 4044211242084 | 1 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 153 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 28883.4 | KDSI-SR 10/24 BK | 4044211242107 | 1 ST |



Cable entry set, IP66, Consisting of: 1 x KDSI-SR 1-4 BK, 1 x KDS-Inlay 4 BK

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28890.4 | KDSI-SET 1-4 BK | 4044211242152 | 1 ST |





Cable entry set, IP66, Consisting of: 1xKDSI-SR 6/10, 1xKDS-Inlay 2, 1xKDS-Inlay 6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 28891.4 | KDSI-SET 6/10 BK | 4044211242169 | 1 ST |



Cable entry set, IP66, Consisting of: 1xKDSI-SR 8/16, 2xKDS-Inlay 4

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 28892.4 | KDSI-SET 8/16 BK | 4044211242176 | 1 ST |



Cable entry set, IP66, Consisting of: 1xKDSI-SR 10/24, each 1xKDS-Inlay 2,4,6

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 28893.4 | KDSI-SET 10/24 BK | 4044211242183 | 1 ST |



Cable entry with TPE seal, Mounting type: Screws, Length: 106 mm, Width: 64 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 28881.4 | KDSI-SR 6/10 BK | 4044211242084 | 1 ST |