Data sheet 17245.0 QS 2/300/16





Cross-connector, No. of poles: 2, Mounting type: Can be screwed on, Width: 95 mm, Rated cross-section: 300 mm², Colour: natural

Business data

Dusiness data			
<u>17245.0</u>			
QS 2/300/16			
4044211178062			
10			
PC			
149 g			
149.4 g			
G			
85389099			
DE			
Cross-connector			
Natural			

Data sheet





Technical data		
Dimensions		
Length	40 mm	
Width	95 mm	
Height	5 mm	
Hole diameter	17.5 mm	
Hole spacing (mid-point to mid-point)	55 mm	
Pitch size	55 mm	
Connection data		
No. of poles	2	
Materials		
Material	Copper	
Surface	Tin-plated	
Further technical data		
Mounting type	Screwable	
Number of bridged terminals	2	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
RoHS Conform	yes	

Data sheet 17245.0 QS 2/300/16



Media

Data sheet

17245.0 QS 2/300/16



Accessories

##INVERSE##CONTA-CONNECT



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 300 mm², Width: 55 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17027.2	HSKG 300/M16/B/B BG	4044211177447	5 ST