

https://www.phoenixcontact.com/au/products/1013805

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Conductor marker carrier, transparent, unlabeled, cable diameter range: 1.5 ... 2.5 mm, mounting type: slide-on, text field height: 4 mm, text field width: 10 mm

### Your advantages

- · The corresponding UC-WMT ..., US-WMT ..., and EMT ... insert labels are used for marking
- · These conductor marking systems consist of marker carriers and insert labels
- The PATG ... collar is a captive marker carrier
- · Can be used to mark conductors with a diameter of 0.6 mm ... 50 mm

### Commercial data

Item number	1013805
Packing unit	1,000 pc
Minimum order quantity	1,000 pc
Sales key	BG221A
Product key	BG221A
Catalog page	Page 248 (C-3-2019)
GTIN	4017918013998
Weight per piece (including packing)	0.125 g
Weight per piece (excluding packing)	0.109 g
Customs tariff number	39269097
Country of origin	DE

PHŒN



https://www.phoenixcontact.com/au/products/1013805



## Technical data

#### Product properties

Product type	Marker carrier cable
Туре	Profile
Dimensions	
Width	10 mm
Height	5.15 mm
Depth	6.34 mm
External dimensions	
Outside diameter	1.5 mm 2.5 mm
External diameter min.	1.5 mm
External diameter max.	2.5 mm
Text field	
Text field width	10 mm
Text field height	4 mm

#### Material specifications

RoHS compliant	yes
Color	transparent
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

#### Cable/line

External cable diameter	1.5 mm 2.5 mm
-------------------------	---------------

### Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish		
Result	Test passed	
Ambient conditions		
Ambient temperature (operation)	-50 °C 80 °C	
Recommended ambient temperature (storage/transport)	23 °C	
Recommended humidity (storage/transport)	50 %	
Mounting		
Mounting type	slide-on	

1013805

https://www.phoenixcontact.com/au/products/1013805



# Classifications

#### ECLASS

	ECLASS-13.0	27281105	
ET	ETIM		
	ETIM 9.0	EC002248	
UNSPSC			
	UNSPSC 21.0	39121400	

1013805

https://www.phoenixcontact.com/au/products/1013805



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au