1212156

https://www.phoenixcontact.com/au/products/1212156



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool, for cables and conductors (especially for rubber and silicone insulations) from 0.1 - 4 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

## Product description

Insertable stripping blades: 1212152 WIREFOX 10/SB, 1212153 WIREFOX 16/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212151 WIREFOX 4/SB

### Your advantages

- · Flexible, adjustable limit stop for the stripping length
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters
- · Practical integrated wire cutter

### Commercial data

Item number	1212156
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH3121
Product key	BH3121
Catalog page	Page 406 (C-3-2019)
GTIN	4046356454421
Weight per piece (including packing)	212.5 g
Weight per piece (excluding packing)	211.7 g
Customs tariff number	82032000
Country of origin	SE

1212156

https://www.phoenixcontact.com/au/products/1212156



## Technical data

#### Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Product properties	
Product type	Stripping tool
Application	Standard
	Silicone
	Rubber
Product property	Automatic adjustment mechanism
	Tool-free replacement of stripping blades
	Length stop for setting the stripping length ≤18 mm

Integrated wire cutter

#### Connection data

Conductor connection		
Cross section range, metric	0.1 mm <sup>2</sup> 4 mm <sup>2</sup> (Stripping range)	
	1.5 mm² (Cutting zone)	
Cross section range AWG	28 12 (Stripping range)	
	16 (Cutting zone)	
Stripping length	2 mm 18 mm	

#### Dimensions

Width	20 mm
Height	90 mm
Length	191 mm

#### Material specifications

Color	black/green
-------	-------------

1212156

https://www.phoenixcontact.com/au/products/1212156



## Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/1212156

EAC Approval ID: RU x-DE.xx08.B.02974

1212156

https://www.phoenixcontact.com/au/products/1212156



## Classifications

#### ECLASS

	ECLASS-13.0	21043706
ETIM		
	ETIM 9.0	EC002109
UNSPSC		
	UNSPSC 21.0	27111500

1212156

https://www.phoenixcontact.com/au/products/1212156



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au