

https://www.phoenixcontact.com/au/products/1212529



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.




Needle-nose pliers, angled design, with opening spring and locking device, finely notched grip area, stripping possible for 1.5 mm² and 2.5 mm², integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested

Your advantages

- Individually tested safety tools according to DIN EN 60900 (VDE 0682-201)
- · Notched gripping surface and sharp cutting edge
- · Ergonomically shaped two-component handles for fatigue-free and non-slip use
- VDE tested

Commercial data

| Item number | 1212529 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH3162 |
| Product key | BH3162 |
| Catalog page | Page 395 (C-3-2019) |
| GTIN | 4046356589574 |
| Weight per piece (including packing) | 291.9 g |
| Weight per piece (excluding packing) | 291 g |
| Customs tariff number | 82032000 |
| Country of origin | DE |





https://www.phoenixcontact.com/au/products/1212529

Technical data

Notes

1212529

| California Proposition 65 | Further information on California's prop. 65 is available under |
|---------------------------|---|
| Camorna Proposition 03 | "Downloads" in the manufacturer's declaration |
| duct properties | |
| Product type | Universal tools |
| Application | Aluminum |
| | Copper |
| Product property | Cutting edge is inductively hardened |
| | Finely notched gripping surface |
| | Angled, ergonomic shape |
| | Ergonomic two-component handle |
| | Spring reset with locking mechanism |
| | Special tool steel, die-forged and oil-hardened\ |
| | VDE tested |
| nensions | |
| Length | 200 mm |
| terial specifications | |
| Color | black |
| ble/line | |
| External cable diameter | ≤ 13.00 mm |
| ndards and regulations | |
| Tests | DIN EN 60000 (V/DE 0602 DADE 204) |
| Tests | DIN EN 60900 (VDE 0682 PART 201) |



1212529

https://www.phoenixcontact.com/au/products/1212529

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/1212529



EAC

Approval ID: RU x-DE.xx08.B.02974



VDE approval of drawings Approval ID: 40052526

May 23, 2025, 2:39□AM Page 3 (5)



1212529

https://www.phoenixcontact.com/au/products/1212529

Classifications

| | _ | | _ | _ |
|---|--------|----|--------|--------|
| _ | \sim | | \sim | \sim |
| | ١. | ıA | | . ¬ |

| | ECLASS-13.0 | 21043816 | | |
|--------|-------------|----------|--|--|
| ETIM | | | | |
| | ETIM 9.0 | EC000835 | | |
| UNSPSC | | | | |
| | UNSPSC 21.0 | 27112100 | | |



1212529

https://www.phoenixcontact.com/au/products/1212529

Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|
| EU REACH SVHC | |
| | No substance above 0.1 wt% |

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au