## WIREFOX-E 10 - Stripping tool

1212706

https://www.phoenixcontact.com/au/products/1212706

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool, for cables and conductors from  $0.02 - 10 \text{ mm}^2$ , self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

## Product description


Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212153 WIREFOX 16/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212152 WIREFOX 10/SB

### Your advantages

- · Flexible, adjustable limit stop for the stripping length
- · Stripping tool with ergonomically shaped pliers
- · Practical integrated wire cutter
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

## Commercial data

Item number	1212706
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH3121
Product key	BH3121
Catalog page	Page 405 (C-3-2019)
GTIN	4046356783613
Weight per piece (including packing)	254.4 g
Weight per piece (excluding packing)	253 g
Customs tariff number	82032000
Country of origin	SE



1212706

https://www.phoenixcontact.com/au/products/1212706



## Technical data

#### Notes

Environmental Product Compliance				
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration			
Product properties				
Product type	Stripping tool			
Application	Standard			
Product property	Automatic adjustment mechanism			
	Replaceable stripping blade			
	Length stop for setting the stripping length			

#### Connection data

#### Conductor connection

Cross section range, metric	0.02 mm <sup>2</sup> 10 mm <sup>2</sup> (Stripping range)
	1.5 mm <sup>2</sup> (Cutting zone)
Cross section range AWG	34 8 (Stripping range)
	16 (Cutting zone)
Stripping length	2 mm 18 mm

Integrated wire cutter

#### Dimensions

Width	20 mm
Height	90 mm
Length	191 mm

#### Material specifications

# WIREFOX-E 10 - Stripping tool

1212706


https://www.phoenixcontact.com/au/products/1212706



### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/1212706

EAC Approval ID: RU x-DE.xx08.B.02974



1212706


https://www.phoenixcontact.com/au/products/1212706



## Classifications

#### ECLASS

	ECLASS-13.0	21043706		
ETIM				
	ETIM 9.0	EC002109		
UNSPSC				
	UNSPSC 21.0	27111500		



1212706

https://www.phoenixcontact.com/au/products/1212706



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au