2900954

https://www.phoenixcontact.com/au/products/2900954

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Relay retaining bracket, with ejector function and holder for marking material, suitable for RIF-2 relay base, for industrial relay

### Commercial data

Item number	2900954
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	DK6546
Product key	DK6546
Catalog page	Page 299 (C-5-2019)
GTIN	4046356733267
Weight per piece (including packing)	5.373 g
Weight per piece (excluding packing)	5 g
Customs tariff number	85389099
Country of origin	CN

2900954

https://www.phoenixcontact.com/au/products/2900954



### Technical data

#### Product properties

	Product type	Retaining bracket			
	Product family	RIFLINE complete			
Material specifications					
	Color	orange (RAL 2003)			
	Material	Plastic			
Approvals					
	Corrosive gas test				

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60

2900954

https://www.phoenixcontact.com/au/products/2900954



### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/2900954

DNV Approval ID: TAA000018V

2900954

https://www.phoenixcontact.com/au/products/2900954



### Classifications

#### ECLASS

	ECLASS-13.0	27371692			
ETIM					
	ETIM 9.0	EC002586			
UNSPSC					
	UNSPSC 21.0	39122300			

#### 2900954

https://www.phoenixcontact.com/au/products/2900954



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions			
China RoHS				
Environment friendly use period (EFUP)	EFUP-E			
	No hazardous substances above the limits			
EU REACH SVHC				
EACH candidate substance (CAS No.)	No substance above 0.1 wt%			

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au