

https://www.phoenixcontact.com/au/products/2904895



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The optional holding device ensures the Rogowski coil is securely seated on busbars with a thickness of 10 ... 15 mm. During installation, the coil housing is pushed onto the flange of the holding device and snaps in automatically.

### Commercial data

Item number	2904895
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CMMA1Z
Product key	CMMA1Z
Catalog page	Page 222 (C-5-2019)
GTIN	4046356898157
Weight per piece (including packing)	51 g
Weight per piece (excluding packing)	50 g
Customs tariff number	85049090
Country of origin	CN



2904895

https://www.phoenixcontact.com/au/products/2904895

### Technical data

### Product properties

Product type Mounting material



2904895

https://www.phoenixcontact.com/au/products/2904895

# Classifications

UNSPSC 21.0

_	$\sim$	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27210992		
ETIM				
	ETIM 9.0	EC002498		
U	NSPSC			

39121000



https://www.phoenixcontact.com/au/products/2904895



### Environmental product compliance

#### China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au