

2966786

https://www.phoenixcontact.com/au/products/2966786

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: red

Commercial data

Item number	2966786
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	DK62Z1
Product key	DK62Z1
Catalog page	Page 426 (C-5-2019)
GTIN	4017918130602
Weight per piece (including packing)	46.12 g
Weight per piece (excluding packing)	42.62 g
Customs tariff number	85366990
Country of origin	DE



2966786

https://www.phoenixcontact.com/au/products/2966786

Technical data

Color

Product properties			
Product type	Bridge		
Electrical properties			
Maximum load current	32 A		
Connection data			
Maximum load current	32 A		
Dimensions			
Length	500 mm		
Material specifications			

red (RAL 3001)



2966786

https://www.phoenixcontact.com/au/products/2966786

Approvals

🎨 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/2966786



GL

Approval ID: 46016-03 HH



cULus ListedApproval ID: E140324



cULus ListedApproval ID: E199827



2966786

https://www.phoenixcontact.com/au/products/2966786

Classifications

UNSPSC

UNSPSC 21.0

ECLASS					
	ECLASS-13.0	27250303			
ETIM					
	ETIM 9.0	EC000489			

39121400



2966786

https://www.phoenixcontact.com/au/products/2966786

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au