

# RB PTPOWER 35-ST(2,5/4) - Reducing bridge



3030900

<https://www.phoenixcontact.com/au/products/3030900>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Reducing bridge, for bridging of PTPOWER 35 to ST or PT ..N terminal blocks with nominal cross section of 2.5 mm<sup>2</sup> and 4 mm<sup>2</sup>, pitch: 10.8 mm, number of positions: 2, length: 5 mm, color: red

## Commercial data

Item number	3030900
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE2Z2X
Product key	BE2Z2X
GTIN	4055626012360
Weight per piece (including packing)	8.65 g
Weight per piece (excluding packing)	8.45 g
Customs tariff number	85366990
Country of origin	PL

# RB PTPOWER 35-ST(2,5/4) - Reducing bridge



3030900

<https://www.phoenixcontact.com/au/products/3030900>

## Technical data

### Product properties

Product type	Reducing bridge
Number of positions	2
Pitch	10.8 mm

### Electrical properties

Maximum load current	45 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

### Connection data

Maximum load current	45 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

### Dimensions

Width	17.8 mm
Height	4.8 mm
Depth	56 mm
Length	4.8 mm
Pitch	10.8 mm

### Material specifications

Color	red (RAL 3001)
Material	PA 6.6
Flammability rating according to UL 94	V0

# RB PTPOWER 35-ST(2,5/4) - Reducing bridge



3030900

<https://www.phoenixcontact.com/au/products/3030900>

## Classifications

### ECLASS

ECLASS-13.0

27250303

### ETIM

ETIM 9.0

EC000489

### UNSPSC

UNSPSC 21.0

39121400

# RB PTPOWER 35-ST(2,5/4) - Reducing bridge



3030900

<https://www.phoenixcontact.com/au/products/3030900>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT PTY Ltd  
Unit 7, 2-8 South Street  
Rydalmere NSW 2116  
1300 786 411  
[customerservice@phoenixcontact.com.au](mailto:customerservice@phoenixcontact.com.au)