

https://www.phoenixcontact.com/au/products/3118135



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 8 mm, number of positions: 10, color: gray

Commercial data

Item number	3118135
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE1Z2X
Product key	BE1Z2X
Catalog page	Page 490 (C-1-2019)
GTIN	4017918092887
Weight per piece (including packing)	11.64 g
Weight per piece (excluding packing)	10 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/au/products/3118135



Technical data

Product properties

Product type	Insertion bridge
Number of positions	10
Pitch	8 mm

Dimensions

Pitch	0
Pitch	8 mm

Material specifications

Color	gray (RAL 7042)
Material	Copper
Flammability rating according to UL 94	V2
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

Mounting

Mounting type	Screw mounting



https://www.phoenixcontact.com/au/products/3118135



Classifications

		\sim
EC	LAG	つつ

	ECLASS-13.0	27250303
E ⁻	ГІМ	
	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400



https://www.phoenixcontact.com/au/products/3118135



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au