5022656

https://www.phoenixcontact.com/au/products/5022656

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cover profile carrier for mounting on NS 32 or NS 35/7.5 DIN rail for attaching the cover profile AP 3.2 mm thick

Your advantages

- · Large-surface labeling with AP-ES insert strips
- · Cover profiles provide protection against unauthorized actuation of terminal strips

Commercial data

Item number	5022656
Packing unit	50 рс
Minimum order quantity	50 рс
Sales key	BE61ZX
Product key	BE61ZX
Catalog page	Page 548 (C-3-2019)
GTIN	4017918095253
Weight per piece (including packing)	10.864 g
Weight per piece (excluding packing)	10 g
Customs tariff number	85389099
Country of origin	DE

5022656

https://www.phoenixcontact.com/au/products/5022656



Technical data

Product properties

Product type	Cover profile carrier				
Dimensions					
Dimensional drawing	$\begin{array}{c} 91 \\ \hline 91$				
Width	2.1 mm				
Height	89 mm				
Depth	80 mm				
Length	89 mm				
Material strength	2.00 mm				

Material specifications

Color	gray (RAL 7042)
Material	PA
Flammability rating according to UL 94	V2

Environmental and real-life conditions

Ambient conditions				
Ambient temperature (operation)	-60 °C 105 °C (max. short-term operating temperature RTI Elec.)			
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)			
Ambient temperature (assembly)	-5 °C 70 °C			
Ambient temperature (actuation)	-5 °C 70 °C			
Permissible humidity (storage/transport)	30 % 70 %			

5022656

https://www.phoenixcontact.com/au/products/5022656

Drawings





PHŒN

IX

5022656

https://www.phoenixcontact.com/au/products/5022656



Classifications

ECLASS

	ECLASS-13.0	27141190		
ETIM				
	ETIM 9.0	EC002848		
UNSPSC				
	UNSPSC 21.0	39121400		

5022656

https://www.phoenixcontact.com/au/products/5022656



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au