

1200102

https://www.phoenixcontact.com/au/products/1200102

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Tool for processing ferrules according to DIN 46228-4, $0.5~\text{mm}^2$ to $2.5~\text{mm}^2$, equipped with pressure lock, cutting, stripping, twisting, and crimping unit, with three magazines including a strip each of ferrules from $0.5~\text{mm}^2$... $2.5~\text{mm}^2$, packaged in a robust plastic case

Your advantages

- Robust and durable due to use of resistant plastics
br/>and annealed metals
- Multifunctional crimping pliers for the processing of
 Taped ferrules according to DIN 46228-4
- · Integrated pressure lock ensures consistently high-quality crimping
- Up to 30 % time savings since the process steps required for assembling conductors can be carried out using only one tool
- · Visualized process flows directly on the pliers simplify operation

Commercial data

Item number	1200102
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH3511
Product key	BH3511
Catalog page	Page 415 (C-3-2019)
GTIN	4055626042398
Weight per piece (including packing)	735.2 g
Weight per piece (excluding packing)	727.7 g
Customs tariff number	82032000
Country of origin	DE



1200102

https://www.phoenixcontact.com/au/products/1200102

Technical data

Notes

Environmental Pro	duct Compliance	•
-------------------	-----------------	---

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

Product properties

Product type	Tool set
Type of packaging	Case
Compression	Indent crimp
Min. cross section	0.5 mm ²
Max. cross section	2.5 mm ²
AWG min	20
AWG max	14

Connection data

Stripping length	8 mm
Conductor cross section flexible	0.5 mm² 2.5 mm²
Conductor cross section rigid	0.5 mm² 2.5 mm²

Dimensions

Width	31.5 mm
Height	100 mm
Length	180 mm

Material specifications

Color	black
-------	-------



1200102

https://www.phoenixcontact.com/au/products/1200102

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/1200102



EAC

Approval ID: RU x-DE.xx08.B.02974



1200102

https://www.phoenixcontact.com/au/products/1200102

Classifications

EC	LASS

	ECLASS-13.0	21045003
E ⁻	ГІМ	
	ETIM 9.0	EC000149
UI	NSPSC	
	UNSPSC 21.0	27111500



1200102

https://www.phoenixcontact.com/au/products/1200102

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
LO REACH SVIIC	

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au