1928424

https://www.phoenixcontact.com/au/products/1928424

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Bridge, fully insulated, pitch 10 mm, 5-pos.

Commercial data

Item number	1928424
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AARZFE
Product key	AARZFE
Catalog page	Page 830 (C-1-2013)
GTIN	4017918606657
Weight per piece (including packing)	5.55 g
Weight per piece (excluding packing)	5.6 g
Customs tariff number	85389099
Country of origin	PL

1928424

https://www.phoenixcontact.com/au/products/1928424



Technical data

Product properties

Product type	Bridge
Product family	FBSK
Product line	COMBICON Terminals Special
Number of positions	5
Pitch	10 mm
Number of connections	5
Number of rows	1
Number of potentials	5

Dimensions

Pitch	10 mm
-------	-------

Material specifications

Material data - contact

WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
Cu alloy
red (3001)
PA
I
600
V0
850
775
125 °C

Connector

Connection 1

Insulating material	PA
CTI according to IEC 60112	600

1928424

https://www.phoenixcontact.com/au/products/1928424



Classifications

ECLASS

	ECLASS-13.0	27460406			
E	ETIM				
	ETIM 9.0	EC002943			
UNSPSC					
	UNSPSC 21.0	39121400			

1928424

https://www.phoenixcontact.com/au/products/1928424



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.074 kg 0000
COZE KY	0.074 kg CO2e

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au