2715953

https://www.phoenixcontact.com/au/products/2715953

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user

documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 6.2 mm, number of positions: 80, color: red

### Commercial data

Item number	2715953
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BE1Z2X
Product key	BE1Z2X
Catalog page	Page 480 (C-1-2019)
GTIN	4017918061708
Weight per piece (including packing)	35.2 g
Weight per piece (excluding packing)	34.2 g
Customs tariff number	85366990
Country of origin	DE

PHŒNIX

2715953

https://www.phoenixcontact.com/au/products/2715953



## Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	80
Pitch	6.2 mm
Potentials	80

#### Dimensions

Pitch	6.2 mm

#### Material specifications

Color	red (RAL 3001)
Material	Cu
Insulating material	PA

Screw mounting

#### Mounting

Mounting type	
---------------	--

2715953

https://www.phoenixcontact.com/au/products/2715953



## Classifications

#### ECLASS

	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400

2715953

https://www.phoenixcontact.com/au/products/2715953



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au