2903265

https://www.phoenixcontact.com/au/products/2903265

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna cable, outside diameter: 5 mm (0.2 in.), inner conductor: solid, attenuation: 0.9 / 1.3 / 2. 0 dB at 0.9 / 2.4 / 5.8 GHz, connection: N (male) -> RSMA (male), cable length: 2 m (6.5 ft.)



Product description

Coaxial antenna adapter cable, N (male) to RSMA (male), 50 $\Omega,$ 2.0 m

Your advantages

- Low attenuation
- UV resistant
- For outdoor installation

Commercial data

Item number	2903265
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNC6A3
Product key	DNC6A3
Catalog page	Page 391 (C-6-2019)
GTIN	4046356743457
Weight per piece (including packing)	134.1 g
Weight per piece (excluding packing)	111.2 g
Customs tariff number	85442000
Country of origin	US

PHŒN

2903265

https://www.phoenixcontact.com/au/products/2903265



Technical data

Notes

Note on application	pplication		
Note on application	Only for industrial use		
Product properties			
Product type	Coaxial cable		
Electrical properties			
Frequency range	0.3 GHz 6 GHz		
Impedance	50 Ω		
Connection data			
Connection method	RSMA (male)		
Connection method	N (male)		
Material specifications			
Material specifications			
Material specifications Outer sheath, material	PE		
	PE		
Outer sheath, material	PE 2 m		
Outer sheath, material Cable/line			
Outer sheath, material Cable/line Cable length	2 m		
Outer sheath, material Cable/line Cable length Cable type	2 m 195		
Outer sheath, material Cable/line Cable length Cable type External cable diameter	2 m 195 4.95 mm		
Outer sheath, material Cable/line Cable length Cable type External cable diameter Outer sheath, material	2 m 195 4.95 mm PE		
Outer sheath, material Cable/line Cable length Cable type External cable diameter Outer sheath, material External sheath, color	2 m 195 4.95 mm PE black		

Environmental and real-life conditions

Ambient conditions		
Ambient temperature (operation)	-40 °C 85 °C	

Approvals

\sim	-
ι.	-
~	-

2903265

https://www.phoenixcontact.com/au/products/2903265



Classifications

ECLASS

	ECLASS-13.0	27060310			
ETIM					
	ETIM 9.0	EC001682			
UNSPSC					
	UNSPSC 21.0	26121600			



https://www.phoenixcontact.com/au/products/2903265



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	0a7a303f-00bb-444b-8e91-660645eba039

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au