

RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Your advantages

- For multipoint or mesh connections
- For freely mobile applications

Commercial data

Item number	2904802
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNC6A3
Product key	DNC6A3
Catalog page	Page 474 (C-6-2017)
GTIN	4046356916844
Weight per piece (including packing)	171.5 g
Weight per piece (excluding packing)	171.5 g
Customs tariff number	85177100
Country of origin	US

RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Technical data

Notes

Note on application

Note on application	Only for industrial use
---------------------	-------------------------

Product properties

Product type	Antenna
Gain	2.15 dBi
Vertical beamwidth	50 °
Horizontal beamwidth	360 °
Polarization	Linear vertical

Electrical properties

Frequency band	900 MHz
Frequency range	868 MHz ... 960 MHz
Impedance	50 Ω
Maximum capacity	100.00 W
Voltage standing wave ratio VSWR in a 50 Ω system	≤ 2.50

Connection data

Connection technology


Connection method	N (female)
-------------------	------------

Ex data

Safety data

Input power P_i	≤ 1 W (30 dB)
-------------------	--------------------

Dimensions

Dimensional drawing	
Height	84 mm
Diameter	36 mm

Material specifications

Material	Xenoy 5720U-7014
----------	------------------

Cable/line

Connecting cable	no
------------------	----

RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

Mounting

Mounting type	Control cabinet
Assembly note	Optional panel mounting

RAD-900-ANT-OMNI-2-N - Antenna


2904802

<https://www.phoenixcontact.com/au/products/2904802>




Drawings

Dimensional drawing



Dimensional drawing




RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Schematic diagram




RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Schematic diagram



RAD-900-ANT-OMNI-2-N - Antenna



2904802

<https://www.phoenixcontact.com/au/products/2904802>

Classifications

ECLASS

ECLASS-13.0	19070105
-------------	----------

ETIM

ETIM 9.0	EC001698
----------	----------

UNSPSC

UNSPSC 21.0	43223100
-------------	----------

RAD-900-ANT-OMNI-2-N - Antenna

2904802

<https://www.phoenixcontact.com/au/products/2904802>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	5f458a5d-777c-409a-87a7-083447e7a00b

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT PTY Ltd

Unit 7, 2-8 South Street

Rydalmere NSW 2116

1300 786 411

customerservice@phoenixcontact.com.au