

3033804

https://www.phoenixcontact.com/au/products/3033804

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Short-circuit connector, pitch: 8.2 mm, number of positions: 4, color: red

Your advantages

• The bridge has a molded extraction tool which means that it can be used conveniently and without tools for individual bridging tasks

Commercial data

Item number	3033804
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE2Z2X
Product key	BE2Z2X
Catalog page	Page 407 (C-1-2019)
GTIN	4046356666930
Weight per piece (including packing)	5.5 g
Weight per piece (excluding packing)	5.021 g
Customs tariff number	85389099
Country of origin	CN



3033804

https://www.phoenixcontact.com/au/products/3033804

Technical data

Product properties

Product type	Short-circuit connector
Number of positions	4
Pitch	8.2 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal blocks.)

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Dimensions

Width	31.1 mm
Height	40.3 mm
Depth	40.3 mm
Pitch	8.2 mm

Material specifications

Color	red (RAL 3001)
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type Plug-in mounting


3033804

https://www.phoenixcontact.com/au/products/3033804



Drawings

Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



3033804

https://www.phoenixcontact.com/au/products/3033804

Classifications

UNSPSC 21.0

_	\sim	$\Lambda \cap \cap$
		A. 7. 7

	ECLASS-13.0	27250303
ΕΊ	ТІМ	
	ETIM 9.0	EC000489
UNSPSC		

39121400



3033804

https://www.phoenixcontact.com/au/products/3033804

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au