

https://www.phoenixcontact.com/au/products/3260157



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 25 mm, number of positions: 2, length: 73 mm, color: red



#### Commercial data

Item number	3260157
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE2Z2X
Product key	BE2Z2X
Catalog page	Page 138 (C-1-2019)
GTIN	4046356779111
Weight per piece (including packing)	50.78 g
Weight per piece (excluding packing)	50.78 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/au/products/3260157



### Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	2
Pitch	25 mm

### Electrical properties

Maximum load current	150 A

#### Connection data

Maximum load current	150 A
Maximum load current	130 A

#### **Dimensions**

Width	47.8 mm
Height	73.3 mm
Depth	28.6 mm
Length	73.3 mm
Pitch	25 mm

### Material specifications

Color	red (RAL 3001)
Material	Metal
Flammability rating according to UL 94	V0
Coating	tin-plated
Insulating material	PA

### Mounting

|--|



https://www.phoenixcontact.com/au/products/3260157



## Classifications

_	$\sim$	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27250303
ΕΊ	ГІМ	
	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400



https://www.phoenixcontact.com/au/products/3260157



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au