

https://www.phoenixcontact.com/au/products/1201468



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adjustable cover holder, for mounting covers (up to 3 mm thick) on terminal blocks, can be used for CLIPFIX 35 and E/UK

Your advantages

- · Large-surface labeling with AP-ES insert strips
- · Cover profiles provide protection against unauthorized actuation of terminal strips

Commercial data

Item number	1201468
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE712Z
Product key	BE712Z
Catalog page	Page 548 (C-3-2019)
GTIN	4017918017347
Weight per piece (including packing)	8.15 g
Weight per piece (excluding packing)	8.15 g
Customs tariff number	39269097
Country of origin	DE



https://www.phoenixcontact.com/au/products/1201468



Technical data

Product properties

	Product type	Cover profile			
Material specifications					
	Color	gray (RAL 7042)			
	Material	PA			
	Flammability rating according to UL 94	V2			
	Static insulating material application in cold	-40 °C			
	Relative insulation material temperature index (Elec., UL 746 B)	125 °C			

Environmental and real-life conditions

Ambient conditions

Ambient conditions		
Ambient temperature (operation)	-60 °C 110 °C (Operating temperature range incl. self-heating; for max. short-term operating temperature, see RTI Elec.)	
Ambient temperature (storage/transport)	-25 $^{\circ}\text{C}$ 60 $^{\circ}\text{C}$ (for a short time, not exceeding 24 h, -60 $^{\circ}\text{C}$ to +70 $^{\circ}\text{C})$	
Ambient temperature (assembly)	-5 °C 70 °C	
Ambient temperature (actuation)	-5 °C 70 °C	
Permissible humidity (operation)	20 % 90 %	
Permissible humidity (storage/transport)	30 % 70 %	


1201468

https://www.phoenixcontact.com/au/products/1201468



Drawings

Dimensional drawing





https://www.phoenixcontact.com/au/products/1201468



Classifications

	ECLASS-13.0	27371392			
ETIM					
	ETIM 9.0	EC002498			
UNSPSC					
	UNSPSC 21.0	39121100			



https://www.phoenixcontact.com/au/products/1201468



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions			
China RoHS				
Environment friendly use period (EFUP)	EFUP-E			
	No hazardous substances above the limits			
FLI DEA OLLOVILO				
EU REACH SVHC				
REACH candidate substance (CAS No.)	No substance above 0.1 wt%			

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au