1212587

https://www.phoenixcontact.com/au/products/1212587

PHŒNIX

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: $0.6 \times 3.5 \times 100$ mm, 2-component grip, with non-slip grip

Your advantages

- · In addition to standard applications, SF-SL ... screwdrivers are particularly suitable for modular terminal block assembly
- · Because the insulation runs into the shaft, there is no protruding edge
- · VDE-tested, for maximum safety

Commercial data

| Item number | 1212587 |
|--------------------------------------|---------------------|
| Packing unit | 10 рс |
| Minimum order quantity | 1 pc |
| Sales key | BH3144 |
| Product key | BH3144 |
| Catalog page | Page 446 (C-3-2019) |
| GTIN | 4046356590228 |
| Weight per piece (including packing) | 37.8 g |
| Weight per piece (excluding packing) | 37.84 g |
| Customs tariff number | 82054000 |
| Country of origin | CZ |

1212587

https://www.phoenixcontact.com/au/products/1212587



Technical data

Notes

| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|--|
| Product properties | |
| Product type | Screwdriver tools |
| Туре | Bladed |
| Туре | straight |
| Connection data | |

| | Output | Bladed |
|--|--------|--------|
|--|--------|--------|

Dimensions

| Dimensional drawing | |
|--------------------------|--------|
| Width | 26 mm |
| Blade width | 3.5 mm |
| Blade height | 100 mm |
| Length | 181 mm |
| Wrench size | 0 mm |
| Wrench size for mounting | 0 mm |
| Blade thickness | 0.6 mm |

Material specifications

| | Material | alloyed tool steel |
|--|----------|--------------------|
|--|----------|--------------------|

Standards and regulations

| Tests | DIN/ISO 2380-1 IEC 60900:2004 |
|-------|-------------------------------|
|-------|-------------------------------|



1212587

https://www.phoenixcontact.com/au/products/1212587

Drawings





1212587

https://www.phoenixcontact.com/au/products/1212587

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/au/products/1212587



VDE approval of drawings Approval ID: 40032921



https://www.phoenixcontact.com/au/products/1212587



Classifications

ECLASS

| | ECLASS-13.0 | 21040407 |
|----|-------------|----------|
| ET | ГІМ | |
| | ETIM 9.0 | EC000158 |
| U | NSPSC | |
| | UNSPSC 21.0 | 27111700 |

1212587

https://www.phoenixcontact.com/au/products/1212587



Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au