

https://www.phoenixcontact.com/au/products/1361276



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Omnidirectional antenna, 902...928 MHz, gain: 3 dBi, connection: N female including mounting hardware.

## Your advantages

- · For multipoint or mesh connections
- · For freely mobile applications

#### Commercial data

Item number	1361276
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNC6A3
Product key	DNC6A3
GTIN	4063151698805
Weight per piece (including packing)	1,840 g
Weight per piece (excluding packing)	673 g
Customs tariff number	85177100
Country of origin	CN



https://www.phoenixcontact.com/au/products/1361276



## Technical data

#### Notes

Note on application	Only for industrial use
---------------------	-------------------------

#### Product properties

Product type	Antenna
Radiation characteristics	Omnidirectional
Gain	5 dBi
Vertical beamwidth	40 °
Horizontal beamwidth	360 °
Polarization	vertical

### Electrical properties

Frequency band	900 MHz
Frequency range	902 MHz 928 MHz
Impedance	50 Ω
Maximum capacity	150.00 W
Voltage standing wave ratio VSWR in a 50 $\Omega$ system	≤ 1.50

#### Connection data

## Connection technology

### Ex data

#### Safety data

Input power P <sub>i</sub> ≤ 1 W (30 dB)	
--	--

#### Dimensions

Height	584 mm
Diameter	38.1 mm

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C 85 °C
Ambient temperature (storage/transport)	-40 °C 85 °C

## Mounting

Assembly note Optiona	l panel mounting
-----------------------	------------------



https://www.phoenixcontact.com/au/products/1361276



## Classifications

#### **ECLASS**

ECLASS-13.0 19070105

**ETIM** 

ETIM 9.0 EC001698



https://www.phoenixcontact.com/au/products/1361276



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	83ab51e7-76ee-438a-a05f-2fcee386ea6b

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT PTY Ltd Unit 7, 2-8 South Street Rydalmere NSW 2116 1300 786 411 customerservice@phoenixcontact.com.au