



The image has the only illustrative purpose and it is purely indicative, it may not fully reflect the product configuration.

# Micro Joint Connector 2p screw L-N IP66/IP68

Code: **THB.395.A2E** 











document can be made without notice.







Potential improvements of the product and modifications of the technical data contained in this

#### **GENERAL INFORMATION**

Overall dimensions (mm)	Ø 14.0 x 76.0	
	components)	
Colour	Black (Plastic components) - Techno green (Rubber	
Product configuration	In-line connector	
Type of installation	Joint connector (re-usable/re-accessible)	

### **ELECTRIC DATA**

No. connected cables	2
Circuit wiring diagram	Signal
Current rating (AC/DC)	10A
Voltage rating (AC/DC)	500V AC
No. poles	2
Marking	1-2
Terminations	Screw
Terminations Thread/Tightening	M2 - 0.2 Nm
torque	

#### **CONNECTION DATA**

Multi-stranded conductor cross- section without ferrule MIN (mm²)	0.25
Multi-stranded conductor cross-	1.50
section without ferrule MAX (mm²)	
Solid conductor cross-section MIN	0.25
(mm²)	
Solid conductor cross-section MAX	1.50
(mm²)	
Conductor stripping length (mm)	8.00
Cable sheath stripping length (mm	20.00
Cable diameter MIN (mm)	5.40
Cable diameter MAX (mm)	7.90
Tightening torque of cable gland-	1.0 Nm
connector	
Tightening torque of nut-cable gland	1.5 Nm

## **ENVIRONMENT CONDITIONS**

IP rating	IP66, IP68
	*IP68 (2m/24h)
IK rating	IK07
Salt Mist	Salt mist test : EN60068-2-11:2000
T marking	T 85°C
Proof Tracking Index (PTI)	PTI 250

### **MATERIALS**

Connector	PA66 GF UL94 VO
Cable gland	PA66 UL94 V2
O Rings	TPE
Gaskets	TPE
Material property	Halogen Free - Silicone Free
Contacts	Brass
Contact screws	Steel

#### **PRODUCT COMPLIANCES**

IEC Approvals

EN 60998-1:2004

#### **COMMERCIAL DATA**

EAN	8057457095891
Packing method	Bulk packed ( OEM )
Type of packaging	Box
Pieces/box (pcs)	200
Weight per Piece (gr)	9.97
Overall dimensions of box (mm)	300 x 200 x 180
Corresponding code in KIT	THB.395.A2E.R
Custom tariff number	85369010
Country of origin	ITALY

#### **APPROVALS**

Please login to access this data.

#### **TECHNICAL DOCUMENTATIONS**

## **Technical documentations:**

File	Туре	Size
区 606002065_install sheet_TH395.pdf	PDF	1.28 MB

### **DRAWINGS**

# Drawings:

File	Туре	Size
户 THB.395.A2E.pdf	PDF	250.48 KB

### **MARKETING DOCUMENTS**

Please login to access this data.