




Data Sheet for Article: HSEMRJ6GWS

TOOLLESS LINE Jack RJ45 shielded, Cat.6 (SFA)



SCHRACK-Info

Module for horizontal (primary)- and vertical (secondary)- cabling. Module for indoor use in structured cabling systems. Module to insert into empty patchpanels and empty outlets.

- Suitable for all applications Classes D and E like:
 - ISDN
 - Ethernet 10 BaseT
 - Fast Ethernet 100 BaseTX
 - Gigabit Ethernet 1000 BaseT
 - Gigabit Ethernet 1000 BaseTX
 - Token Ring 4/16 Mbit/s
 - ATM 155 Mbit/s
 - VoIP (Voice over IP)
 - PoE (Power over Ethernet)

TECHNICAL DATA

- Standards: ISO/IEC 11801 (2002), EN 50173 (2002)
- Electric Performance: Cat.6 tested
- Shielded: Zinc Alloy fully shielded
- Termination: 110-style toolless

- Toolless: no special tooling necessary
- Colour Code: EIA/TIA 568 A and B
- Suitable Cables: AWG24/1 to AWG22/1
- Slim Design: Up to 24 modules fit into 24-Port Panel 1 U
- Easy Design: Module has 2 parts only
- Installation: Time-saving termination and cost
- Reopenable: Yes, without special tooling
- Packaging: Each module packed in a single polybag. Installation Manual included in each polybag
- Easy Installation:
 - Insert the wires according to colour code
 - Trim off the excess wire
 - Snap the gates closed
 - Tie-Wrap the cable-shield
 - Done



Technical Data

Net length (mm)	35,00
Net width (mm)	17,00
Net height (mm)	26,00
Update-Link	https://www.schrack.at/schrack-technik/produktisiko-melden
Series	TOOLLESS LINE
Category	Cat.6
Contact finish	50µm Au
Shielding	shielded
SCHRACK Format	SFA
Ports	1
Net weight (kg)	0,01
Min. ambient temperature (°C)	-10
Max. ambient temperature (°C)	60

Article Table

DESCRIPTION	NVP (%)	COPPER WEIGHT (kg/km)	Order No.
TOOLLESS LINE Jack RJ45 shielded, Cat.6 (SFA)			HSEMRJ6GWS
Optional Accessories			
F/UTP Cable Cat.6, 4x2xAWG24/1, 450MHz, LS0H, Dca, blue Drum 500m	68	19	HSKF424H65
U/FTP Cable Cat.6a, 4x2xAWG23/1, 500MHz, LS0H B2ca-s1a,d1,a1 blue, Drum 500m	75	20	HSKF423CP5
F/FTP Cable Cat.6a, 4x2xAWG23/1, 500MHz, LS0H, Dca, blue Sale per meter	79	20	HSEKP423HA
S/FTP Cable Cat.7, 4x2xAWG23/1, 1.000MHz, LS0H, Dca 30% blue Drum 1000m	77	25	HSKP423PP1
Outlet empty 1 module (SFA)(SFB), 80x80mm, angled, RAL9010 Pure white			HSED01UW2S
Outlet empty 2 modules(SFA)(SFB), 80x80mm, angled, RAL9010 Pure white			HSED02UW2S
Outlet empty 3 modules (SFA)(SFB), 80x80mm, angled, RAL9010 Pure white			HSED03UW2S
Patchpanel 19" for 24 modules (SFA)(SFB), labeling fields 1U, RAL7035, Light grey, single-piece design, patchcord lock top			HSER0240GZ
Patchpanel 19" empty for 24 modules (SFA)(SFB), 1U, RAL7035 Light grey, patchcord lock down			HSER0240GS
DIN-rail adapter empty for 1 module (SFA)(SFB), RAL7035 Lightgrey			HSERH010GS
DIN-rail adapter empty for 1 module (SFA)(SFB), metal			Q7DRA001
DIN-rail adapter empty for 2 modules (SFA)(SFB), metal			Q7DRA002
Cover for 1 module (SFA)(SFB), 45x22.5mm, straight, RAL9010 Pure white			HSEMD01W1F
Cover for 2 modules (SFA)(SFB), 45x45mm, angled, RAL9010 Pure white			HSEMD02W2F
Side cutter flat for wire up to 1.3mm diameter			HTOOL00002
Side cutter flat for wire up to 1.0mm diameter			HTOOL00003
Patchcord RJ45 shielded, Cat.6, PVC, grey, 1.0m			H6GLG01K0G
Patchcord RJ45 shielded, Cat.6, PVC, grey, 2.0m			H6GLG02K0G
Patchcord RJ45 shielded, Cat.6, PVC, grey, 3.0m			H6GLG03K0G
Patchcord RJ45 shielded, Cat.6, PVC, grey, 5.0m			H6GLG05K0G
Patchcord RJ45 shielded, Cat.6, PVC, grey, 10.0m			H6GLG10K0G
Patchcord RJ45 shielded, Cat.6, PVC, grey, 20.0m			H6GLG20K0G
Copper strips 35*9mm for optimized shielding contact of datacables to jacks, 20 pcs.			HSEKB0020

Article Table

DESCRIPTION	NVP (%)	COPPER WEIGHT (kg/km)	Order No.
Optional Accessories			
Copper strips 35*9mm for optimized shielding contact of datacables to jacks, 1.500 pcs.			HSEKB1800
Mechanism for RJ45 Toolless Line jacks Galvanized steel, ROHS			EV104005
Cover for 1 *RJ45 Toolless Line jack, white VISIO S 55 (55x55), ABS, ROHS, White			EV104303
Cover for 2 *RJ45 Toolless Line jacks, white VISIO S 55 (55x55), ABS, ROHS, White			EV104304
One gang frame, Design CUBIC, white VISIO S 55 (55x55), ABS, ROHS, White			EV105301